

# NR1060

*Ride-on Scrubber*



**NEW** *Noblelift Products*  
**ARRIVAL**



**High performance battery**  
Large capacity maintenance-free lead-acid battery, safe and reliable, long working time.



**Control panel**  
Integrated waterproof touch panel design, easy and fast operation.




**Steering wheel**  
With steering wheel booster ball, comfortable to operate.



**Charging port**  
External charging port, easy to charge.



**Hatchback recovery tank**  
Tool-free disassembly design, easy to clean and maintain.



**Hygroscopic steak**  
Wear-resistant adhesive strip arc suction and scrape-shaped design, easy to absorb water without residue.



**Water injection port and water level indicator**  
Display clear water tank water level, large opening water injection port, easy to add clear water.



**High-power non-slip front drive wheel**  
High-power anti-slip drive front wheel, ramp operation will not slope, more safe.

**The recommended application of brush/ needle disc for fixing pad:**

	Brush			Needle disc+pad		
	Soft brush	Nylon (Standard)	Hard brush	White	Red	Black
Concrete floor		Applicable	Applicable		Applicable	Applicable
Terrazzo floor		Applicable	Applicable		Applicable	Applicable
Tile/ Slate floor	Applicable	Applicable			Applicable	
Marble floor	Applicable	Applicable		Applicable	Applicable	
Plastic floor	Applicable			Applicable	Applicable	
Rubber floor	Applicable			Applicable		

Notes:

1. Soft brush: for cleaning and polishing smooth surface
2. Nylon brush: for general floor cleaning (standard configuration)
3. Hard brush: for removing stubborn dirt on hard ground
4. Needle disc: holding the pad, reducing the wear on the floor; the pad is used together with the needle disc. According to different conditions of the floor, we need to choose different pads in different colors (generally the deeper the color is, the greater the friction on the floor).

Specific application of pads:

- a) White pad: for general cleaning and polishing, marble and smooth floors
- b) Red pad: for general floor cleaning
- c) Black pad: for removing stubborn stains on hard floors


**The application of squeezer rubber strip:**

	Rubber (Standard)	(PU)
Concrete floor	Applicable	Applicable
Terrazzo floor	Applicable	Applicable
Tile/ Slate floor	Applicable	
Marble floor	Applicable	
Plastic floor	Applicable	Applicable
Rubber floor	Applicable	Applicable

Note:

Polyurethane (PU) strip has strong wear resistance and oil resistance, which is suitable for oil floor conditions, but cutting and tearing performance of PU strip is poor, so it is not suitable for quadrel/ brick or tile floors.

**Industries**



**Scenarios**



NR1060 Ride-on Scrubber--Specifications					
Model			NR1060		
TECHNICAL DATA	Cleaning width	mm	in	1060	41.7
	Brush/pad diameter	mm	in	2×530	2×20.9
	Solution tank capacity	L	gal	200	52.8
	Recovery tank capacity	L	gal	210	55.5
	Clean productivity	m <sup>2</sup> /h	yd <sup>2</sup> /h	6890	8240
	Continuous working time	h	h	5~6	5~6
	Brush motor rated power	W	Hp	2×550	2×0.74
	Vacuum motor rated power	W	Hp	600	0.8
	Drive motor rated power	W	Hp	800	1.1
	Traveling speed	km/h	mph	0~6.5	0~4
	Sound level dB	A	A	68±3	68±3
	Battery			36V (6×6V200Ah)	36V (6×6V200Ah)
Net weight (without batteries)	kg	lbs	267	589	
Product dimensions	mm	in	1800×850×1350	70.9×33.5×53.1	

# Product features and advantages:

- NR1060 is a middle and large front-wheel drive scrubber with dual brushes.
- The garbage storage box in the recovery tank can effectively filter large garbage to avoid the blockage of the drain pipe.
- The whole vehicle adopts modular and compact design, which brings good maneuverability and flexibility.
- The low center of gravity water tank and battery design ensure the whole vehicle higher driving safety and maintenance convenience.
- Integrated waterproof touch panel design, easy for operations such as driving speed control, water flow adjustment, brush lifting/lowering.
- Large-size color LCD screen to achieve equipment parameters visible, convenient for fault diagnosis and maintenance.
- Standard electronic water level indicator for solution/recovery tanks, making level display intuitive and convenient. The recovery tank will automatically alarm and stop when it is full.
- The whole vehicle is equipped with one-button soft start of motor, over-current and under-voltage protection of controller.
- Patented disk brush adopts buckle design, achieving automatic loading and unloading of disk brush with one key.
- One touch ECO model to reduce the energy consumption and noise level, suitable for low noise request scenarios.
- 36V200Ah maintenance-free lead-acid battery ensures to work continuously for 5-6 hours on one charge.



Long working hours



High reliability



High efficiency



Low security risk

**Save Labor and money,  
for users to save a lot of  
labor costs.**



**MONTREAL (Head office)**  
19151 A, Cruickshank Avenue  
Baie-D'Urfé (Québec) H9X 3N9  
Phone: 418 694-4223  
Toll free: 1 866 421-4223  
[info@elevex.ca](mailto:info@elevex.ca)  
[elevex.ca](http://elevex.ca)

**QUEBEC**  
1279, Paul-Émile Giroux St. Suite 200  
Québec (Québec) G1C 0K9

**SAGUENAY**  
2305, Alexis-Le-Trotteur St.  
Jonquière (Québec) G7X 9H8

